

Towards the Preservation of the Scientific Memory

Brian Matthews, Shirley Crompton
Catherine Jones, Simon Lambert

STFC Scientific Computing Department
Rutherford Appleton Laboratory,
Chilton, Didcot, OX11 0QX, UK

Abstract

In this paper we consider the requirements for preserving the memory of science. This is becoming more challenging as data volumes and rates continue to increase. Further, to capture a full picture of the scientific memory we need to consider beyond the bit preservation challenge, to considering how to capture research in context, representing the meaning of the data, and how to interpret data in relation to other scientific artefacts distributed in multiple information spaces. We review the progress of scientific research into digital preservation of science over the last decade, emphasising in particular the research and development programme of STFC. We conclude with a number of observations into the future directions of research and also the practical deployment of policy and infrastructure to effectively preserve the scientific memory.

Submitted dd Month yyyy

Correspondence should be addressed to Brian Matthews, Rutherford Appleton Laboratory, Didcot, OXON, OX11 0QX, UK. Email: brian.matthews@stfc.ac.uk

The 10th International Digital Curation Conference takes place on 9–12 February 2015 in London. URL: <http://www.dcc.ac.uk/events/idcc15/>

Copyright rests with the authors. This work is released under a Creative Commons Attribution 4.0 International Licence. For details please see <http://creativecommons.org/licenses/by/4.0/>



Introduction

Considerable progress has made in digital preservation over the past few years, but the task of preserving digital information over the long-term remains challenging. Data volumes are ever increasing, so there is a need for preservation solutions to scale. Further, the complexity of the structural and semantic dependencies of digital data also need to be preserved to enable reusability. These challenges have particular relevance when it comes to scientific data.

Firstly, modern instruments and experiments generate data in very large volumes and at very high rates which make storing, managing and accessing data difficult. Thus the cost implications of maintaining data archives for the long term can be a substantial barrier to preserving all data; for example, due to data volumes synchrotron x-ray sources do not generally guarantee to keep data beyond a limited period of a few months. Secondly, scientific data is highly specialised to its scientific domain and the techniques used to collect data. This means that data formats, vocabulary, software and methods are often particular to that domain. Thus specialised knowledge is needed to handle and interpret scientific data, access to common services such as format characterisation services are of limited value, and the reuse potential of the data may be limited to a small and specialised community. These two factors mean that the value of preserving data needs to be considered carefully.

Further, science data is rarely self-contained, but subject to interpretation in the context of its collection. A complete understanding of the data is only possible if information on its purpose, coverage, collection methodology, environment, errors and tolerances, calibrations and other information describing how and why the data was collected is also available. To maintain an understanding of the data, this contextual information needs to be recorded and made available to the reuser, and thus also be subject to preservation requirements.

Raw science data is rarely an end in itself (unlike a document, or a film, which is in a final form for presentation to the user), but rather an item which is then: subject to further processing, generating “derived” or “analysed” data via the use of specialised software packages; subject to aggregation or filtering across data; used to generate visualisations; and described, discussed and conclusions drawn in both formally published (e.g. journal articles) and unpublished (e.g. reports, but also on web pages) materials. To get a complete picture of the science undertaken to understand how conclusions were arrived at, we need to capture all these digital artefacts and the relationships between them, to form a provenance trail of the scientific outputs.

Science data collection, analysis and reporting are frequently highly collaborative activities, with distributed teams, components and information. Digital artefacts may be generated by different people and in different places, and stored and copied in different locations. There may be different attributions and rights to different parts of the record which need to be respected. Thus to maintain the context of the science, it is necessary to manage distributed digital artefacts, with varying rights, access controls, and data management policies.

Managing the preservation of physical files and their bits is essential. Bit and format preservation apply to all digital objects regardless of the use the file has been put to: maintaining persistent identity; ensuring the integrity of the object; knowing what format the object is in through characterisation and ensuring that the format is readable.

However to be able to use data for the intended original purpose, or reuse data for a new purpose needs more than physical integrity, it requires knowledge about the data from a scientific point of view. Research data may also be in binary format and so can't be visually inspected, so there will be a need for supplementary information that is not contained within the data files themselves. For some of this context, such as experiment set-up, capturing it needs to be done at the point the experiment was undertaken; other context such as analysed data or a journal article may appear months or years after the experiment was undertaken. In general, the creation of the additional context or semantic information does not happen once and then is preserved, but is added to over the lifetime of the digital object. Consequently, we need to take a whole lifecycle view on the preservation of science.

Thus we consider the preservation problem as not one of how to preserve scientific data, but rather of how to preserve the *Scientific Memory* in the digital era. It is thus a problem of knowledge management, as much as the technical challenge of maintaining bit identity. How this knowledge can be identified and captured is a complicated process as it resides in a range of places for a variety of purposes.

Over the past decade, the Science and Technology Facilities Council (STFC) has developed a core infrastructure for storing, managing and archiving data for its scientific communities. However, STFC has recognised the complexity of the problem of preserving the Scientific Memory and as a consequence there is an active research and development programme to investigate some of these issues in support of its data infrastructure, funded by a number of projects including CASPAR¹, SoftPres², ACRID³, ODE⁴, SCAPE⁵, SCIDIP-ES⁶ and APARSEN⁷. Whilst we fully recognise that there is much vital research undertaken elsewhere, the STFC programme forms a good summary of the requirements of, and approaches to, preserving the scientific memory.

In the rest of this paper, we consider a number of challenges required to preserve the scientific memory, describe some work undertaken at STFC to develop these themes, and conclude with a number of outstanding areas for further research.

The Challenges of Preserving the Scientific Memory

This characterisation of the scientific memory allows us to identify the requirements of a systematic approach to its preservation, and derive a number of technical challenges which need to be addressed via research. We also discuss some recent research activities at STFC which have are contributing to the development of a general approach to preserving the scientific memory.

¹ CASPAR - Cultural, Artistic and Scientific knowledge for Preservation, Access and Retrieval. EU project within the 6th Framework Programme 2006-2009. <http://www.casparpreserves.eu/index.html>

² SoftPres: Tools and Guidelines for Preserving and Accessing Software Research Outputs, JISC funded project, 2008-09

³ ACRID: Advanced Climate Research Infrastructure for Data, JISC funded project, 2010-11

⁴ ODE: Opportunities for Data Exchange, EU project 2010-12,

<http://www.alliancepermanentaccess.org/index.php/community/current-projects/ode/>

⁵ SCAPE (Scaleable Preservation Environment) EU project within the 7th Framework Programme, 2011-14 <http://www.scape-project.eu>

⁶ SCIDIP-ES (Science Data Infrastructure for Preservation – Earth Science) EU project within the 7th Framework Programme, 2011-14 <http://www.scidip-es.eu/>

⁷ APARSEN EU project within the 7th Framework Programme, 2011-14

www.alliancepermanentaccess.org/index.php/aparsen/

Preservation Analysis

The case for preserving science is not entirely obvious; not all science data is equally valuable, and it may be the case that the cost of maintaining large volumes of data may outweigh the benefit derived. Thus each collection of science data needs a separate analysis of the preservation case, detailed further in Conway et. al. 2011: this includes

- **Developing a Business Case:** what are the costs and benefits associated with the preservation of data; what future technological and social risks can be anticipated in preserving the science with associated costs.
- **Developing a Preservation Policy:** an analysis of the collection to be preserved to determine criteria for retaining artefacts, who the target audience is and what would be their expected level of competency (“designated community”), and for how long the data should be retained.
- **Developing a Preservation Strategy:** a detailed description of the approach taken for preservation, including hardware and support, replication strategy, what related information is collected and managed, tools and services used, and processes and procedures to maintain the archive.
- **Preservation watch:** process and procedures for maintaining the accessibility and usability of the archive in the face of changes in technology and in the designated community.

The barriers and drivers to data preservation and exchange were considered in ODE in order to facilitate enhanced data sharing in the future (Darby et. al. 2012; Dallmeier-Tiessen et. al. 2014). In this study, a conceptual model was developed to characterize the process of data sharing and the factors which give rise to variations in data reuse. This included technical, psychological, social, organizational, legal and political components. The model was developed by a wide ranging consultation, and identified sub-models of process, context, and drivers, barriers and enablers. These provided a comprehensive description of the factors that enable or inhibit the sharing of research data. It was intended that by implementing the enablers research communities could overcome the barriers to data reuse to facilitate future research.

More specifically consideration has also been given to scientific data management and preservation in the arena of “big science”, that is in large-scale, typically multinational and long-term collaborative research programmes, such is found in space and particle physics and also in the use of large-scale facilities such as neutron and synchrotron sources (Gray, Carozzi & Woan 2012; Bicarregui et. al. 2013). In these programmes, the need to care for data has been recognised; without good data management, the core science may not be done, and the potential to extract the most science from the data be missed. Such programmes do invest resources into data infrastructure to manage and distribute the data. Nevertheless, the case still needs to be made for best practice, especially for the long-term retention and reuse of data.

When it comes to a particular science data scenario, the business case still needs to be made, including a cost-benefit analysis. Cost analysis for digital preservation is reasonably well understood (e.g. Shehab et. al. 2013). The benefits arising from data preservation in the scientific domain are harder to determine, as many of the benefits of freely available data are hard to measure.

The Keeping Research Data Safe (KRDS) model of benefits (Beagrie 2011) defines outcomes of a data curation activity between: direct benefits, the positive impacts gained, and; indirect benefits, negative impact avoided by investing in data curation. The guide then discusses how this framework might give particular outcomes, but in a

fairly unsystematic manner. In SCIDIP-ES a more systematic characterisation of the outcomes has been proposed (Caruso et. al 2013). This can be combined with the KRDS approach to provide a more detailed analysis of the potential benefits accruing from the preservation of data.

The benefits can be divided two main categories: *Utility* and *Substitutability*. *Utility* factors consider the value of data for re-examination and reuse. Thus if the Utility of the data is high, then the benefit of the data is high. Further, the data is more valuable if the data is *desirable*, that is it sought out for re-examination, especially in new contexts and situations. Data will have more impact if it is *reusable*, that is presented in a manner which encourages reuse; if it is easier to comprehend and to integrate with other data, it is likely to be reused, and thus have higher utility.

Substitutability factors assess whether an alternative data set of acceptable quality can be substituted if the primary data is not available. The user may be able to *replace* the current data by accessing a reasonable substitute from elsewhere, which may not be the same data, but another data set from which the same information content can be produced. Alternatively, the data may be *reproduced*, that is the user may be able to generate new data afresh at a reasonable cost. Substitutability factors are more frequent in science data than may be appreciated; if the cost of generating or finding an acceptable substitute for the data is lower than the preservation costs, or provides higher quality, then the case for preserving data is weaker.

Successful preservation is enabled only when preservation planning, monitoring and operations are put in context with institutional preservation policies. Often, in digital preservation, those policies are expressed as mission statements in high-level strategic documents which make it a challenging task to align preservation planning, monitoring and operations with them. In SCAPE three levels of policies were defined (Sieman et. al. 2013) to reflect different levels of control in an organization: from strategic levels to operation levels. In order to make those policies understandable to the planning and monitoring component, an ontology was created which enables the definition of machine readable policy models.

To support detailed preservation strategy analysis, the concept of the Preservation Network Model (PNM) (Conway et. al. 2011; Conway et. al. 2012) has been developed in CASPAR and subsequent projects. This method is based on the OAIS model (CCSDS 2012) and considers the dependencies between digital objects and the representation information components which given them context and how these dependencies impact the cost of preservation, and their maintenance over the long terms. PNMs have been supported by the federated preservation tools and services developed in SCIDIP-ES. However, the practical application of this technique in a variety of scenarios which are tailored to the particular needs of the domain community needs to be explored further to make it a practical approach, and also to manage different preservation strategies (e.g. emulation and migration).

Bit Preservation

Science data needs to be kept safe and accessible for the long term and at scale. This requires the management of data at the “bit level”, that is maintaining its physical integrity. Much of this is intrinsic to the good management of a data centre, with resources in place to maintain availability as part of the active use of data. This is usually known as bit preservation, and involves the following aspects.

- **Replication:** ensuring that copies of data are maintained, including at different locations.
- **Integrity checking:** checking the data against corruption, typically via checksums which test whether the physical bits stored have been changed.
- **Media refresh:** moving the data periodically onto new (tape or disc) media to mitigate against the effects of physical decay of the media material; also transferring to new storage technology as physical media become obsolete,
- **Scaling:** all issues of bit preservation are subject to scaling issues; these tasks become harder as data volumes increase, both in terms of total volume of data, and also in number of data units (e.g. files) stored.

Bit preservation is not usually seen as a research challenge particularly in the big science data domain. In a sense it is “business as usual”; Bicarregui et. al 2013 discusses how “big science” projects in particular can factor in digital preservation as a product of good data management; issues are long term resourcing, and good planning, rather than specific bit preservation challenges. For “bench” science, there are subject repositories which collect data, and again it is resourcing and managing these collections which are challenges rather than bit preservation per se. Nevertheless, there are some outstanding research challenges. Scaling means that bit preservation tasks, such as file integrity checking, file format checking and verification, and media refresh may take a long time. Generating a check sum for a very large file (of 100s of Gb or larger) may take many hours and may be impractical. Experiments on scientific archives with Hadoop in SCAPE have shown that while there is utility in using such approaches to parallelise specific preservation actions, there is also a need to tailor the approach to the specific needs of the archive. The overheads of adapting a working repository within a Hadoop architecture and using legacy systems and software may overwhelm the advantages.

Stepping beyond bit preservation to the preservation of syntax, there is a need to characterise the data format of data and validating whether data conforms to declared format standards, and to migrate data from obsolete to new formats, while preserving data semantics. Similarly, this is seen as within the scope of data centres, which would take advantage of general purpose characterisation tools such as DROID⁸, although many scientific formats are highly specialist and would not typically be covered by such tools.

Cataloguing, access and publication

In order to be discoverable, sharable and reusable, data needs to be catalogued, published and made accessible for searching and browsing. Again this is an aspect of good practise in data centre management, and involves:

- **Persistent identifiers:** maintaining the identifiers of artefacts over time, so that the references to those artefacts are stable over time. This ensures that the identity of artefacts can be trusted to remain constant. Note that persistent identifiers need to refer to a variety of digital objects, including software, workflows, and aggregations as well as documents and data.
- **Metadata:** well defined metadata formats and clear and consistent descriptions of data and other artefacts are essential for its discovery and use.

⁸ DROID (Digital Record and Object Identification) <http://www.nationalarchives.gov.uk/information-management/manage-information/preserving-digital-records/droid/>

- **Domain Specific Ontologies:** further formal vocabularies and relationships to describe data in terms of their domain semantics.

These processes are becoming part of the normal expectation of digital repositories. Within STFC, there has been an ongoing effort to support digital repositories and the cataloguing and publishing of information in support of the large-scale facilities operated by STFC and others. This includes using an enterprise scale data catalogue (ICAT) as a middleware component, instantiating a well-established metadata model, with supporting tools and services for assigning DOIs, providing access, and managing data upload and download (Flannery et. al. 2009; Matthews et. al. 2009b).

Preserving the science context

Preserving science data in context requires a broader point of view on the preservation challenge, including the collection and maintenance of information which provide insight into how the data should be interpreted, and thus preserve the scientific activity. This entails the selection, elicitation, capturing and linking the appropriate information, which could include the following:

- Information about instruments, sensors, samples, data sampling conditions, parameters measured, coverage, units and data rates.
- Information on the intention of the observation, its methodology, and the actors involved in the data collection.
- Information on the environment in which the data has been collected which has an influence on its interpretation, and calibration information on the instruments so that data can be normalised against reference measurements.
- Information on errors, tolerances and biases known to affect the data.
- *Tacit knowledge* concerning the science, which may be captured in laboratory notebooks, websites, blogs, social media, annotations etc.

The concept of *Representation Information* in OAIS is intended to capture the context in which data should be interpreted, and the notion of PNMs discussed above was developed to support the specification of this wider contextual information. Realising this however, has proven complex. Recently, the SCIDIP-ES project has developed an infrastructure which contains considerable support for capturing, packaging and sharing the representation information as a dependency graph (Shaon et. al. 2012; Crompton et.al. 2014).

Others have considered a linked data approach to support the links and dependencies between items needed to support capturing contextual information. One approach to this was taken in the ACRID project, where information about climate data was packaged into a linked data structure, using OAI-ORE⁹, containing information about the observations used to collect the data as well as links to the data itself. Thus the data package can carry information about its collection context, increasing its trustworthiness (Shaon et. al. 2011). This is similar to the Research Object approach discussed below.

Preserving provenance

Preserving science provenance extends the notion of the science context to cover the wider scientific lifecycle, so how the science progresses from experiment to generate intellectual outputs is recorded. Thus to record the full picture of how research results

⁹ Open Archives Initiative Object Reuse and Exchange (OAI-ORE) www.openarchives.org/ore/

are derived, we need to preserve different types of research artefacts, for example, raw and derived data, software, workflows, visualisations, publications and also the relationships between them. To preserve the full provenance of science, we consider:

- Capturing the dependencies and relationships between artefacts generated and used in the scientific process.
- The specific preservation needs of different types of digital artefacts, including: data, software, visualisation, documents, and workflows.
- Navigating through provenance structures to address particular digital artefacts in context.
- Aggregating and packaging aggregations of artefacts as digital objects in their own right

Provenance extends the requirement to capture context to the whole lifecycle. Again, there is a need to capture networks of relationships between artefacts. This has been explored for modelling relationships between object (e.g. Groth & Moreau 2013), but are not well supported in current preservation architectures.

Thus there is a need for networks of relationships to be captured and stored to record science research; the Research Object¹⁰ approach, which builds on Linked Data concepts, (Bechhofer et. al. 2013) is well-suited for this and has been further explored in SCAPE (Matthews et. al. 2013), where a specific approach using Investigation Research Objects, tailored to the specific needs of facilities science has been developed and used to construct Archival Information Packages.

Research Objects link data together in a provenance graph, and provide a boundary to its scope. A research artefact can be linked to a number of other research artefacts. An investigator, workflow or instrument can participate in a number of investigations; a publication may use the output of several investigations to support its results. If this is represented as a simple web of linked data, then it would be difficult to distinguish which artefacts and relationships are relevant to which research object. OAI-ORE provides a boundary to determine membership of the Research Object, which can then be assigned an identifier its own right.

Collecting information together to preserve context and provenance brings with it the need to preserve additional classes of digital artefacts, particularly workflows and software. The Workflow4Ever project¹¹ considered preserving workflows and has developed the Research Object concept to capture workflows (Belhajjame et. al. 2012).

The preservation of software is also needed to capture how data is used. However, software has characteristics that make its preservation more challenging than other digital objects. Software is inherently complex, normally composed of a large number of highly interdependent components. Software is also highly sensitive to its operating environment, dependent on items including compilers, runtime environments, operating systems, documentation and the hardware platform with its built-in software stack. Preserving a piece of software thus involves preserving much of its own context.

Handling this complexity is a major barrier to the preservation of software, so much so that the preservation of software is often seen as a secondary activity, less critical than the preservation of the data it manipulates. However, in many cases, data becomes unusable without the software to handle it; and recreating software from partial information can be a near-impossible task.

¹⁰ www.researchobject.org

¹¹ Workflow4Ever EU project, 2010-13, <http://www.wf4ever-project.org/>

Models have been developed for the systematic preservation of software. Matthews et. al. 2009a; Matthews et. al. 2010; Matthews et. al. 2012 discuss the issues which arise when considering the preservation of software, including: the motivations for its preservation; the complexity of software influencing what items should actually be preserved; different strategies which are undertaken in the preservation of software (e.g. emulation and migration), and criteria for judging whether software has been preserved to an adequate level of quality.

Preserving the science memory in a distributed environment

Science is a collaborative endeavour, with teams of people engaged in projects, each contributing their own artefacts to the common collection, together with their views and comments. As a consequence, the artefacts may be distributed in different locations with different ownerships. Thus we need to consider:

- The location of artefacts in different locations, potentially with copies and versions of artefacts in different places.
- Maintaining a link structure across repositories in different places, which are under different jurisdictions and may change at different rates.
- Managing the trust relationships between people and organisations to provide the appropriate guarantees that there can be stability of preservation.
- Attribution and rights management so that credit can be properly assigned to contributions to the scientific activity.

The linked data approach proposed by Research Objects also works well within a distributed environment. There is no necessity for artefacts to reside in the same archive, and links can be external as well as internal.

Outstanding challenges

Before we can provide a complete infrastructure for preserving the scientific memory, there still remain a number of areas which require further investigation; the APARSEN project in its common vision document presents an overview of broad areas of development (APARSEN 2014); here we concentrate on some themes arising from our perspective as presented above.

Preservation Analysis

In organisations whose focus is on the creation and management of data, the business case for preservation as an ongoing activity is not yet fully accepted. As discussed earlier, there are costs and benefits associated with preserving science; the benefits in particular are not well explored. Further, while the importance of bit preservation is well-understood, the notion of “functional preservation”, that is maintaining understandability of data, is still under development.

Creating human readable preservation policy is a complex and time consuming business. To be able to write effective policy the key characteristics, or significant properties, of the object(s) need to be identified and the environment required to ensure these are maintained needs to be described. This is complex for all objects; but the data within the digital file for scientific data is an area which is still new and the potential compromises not yet identified. So for example one may decide that having a

photograph/image is acceptable in black and white (for some designated communities) as it is known that what is being lost is the definition provided by colour and this may not be vital to the information content of the image. However, does anyone know what is the equivalent situation for a specialised data file from a neutron spallation source?

Building a Preservation Infrastructure.

Both SCAPE and SCIDIP-ES have built components of a preservation infrastructure. SCAPE has a collection of tools which while powerful, are not specially tailored to preserving science (Kraxner et. al. 2013). SCIDIP-ES has taken an OAIS based approach and the emphasis on preserving representation information is a step in the direction of preserving more of the science context; especially when used to describe domain parameters and necessary software. However, defining and describing representation information is not straightforward even with these tools. A detailed analysis of the preservation scenario is needed, which is difficult for domain specialists, rather than information specialists, to carry out. There is a need for guidelines and processes for specific domains; European Space Agency's Long Term Data Preservation guidelines present an approach for this (LTDP 2012), and it needs proving in other domains.

The SCIDIP-ES approach uses representation information and preservation description information, to represent context. This is a powerful approach, but proves complex to manage in practice. The Research Object approach provides an intuitive model and builds on the Linked Data infrastructure. Thus an approach which combines the SCIDIP-ES approach to OAIS with linked data would be a strong candidate to build a preservation infrastructure which can preserve scientific memory. This approach would bring the SCIDIP-ES information model into the Research Object world, using its Ontology for OAIS as a basis, and combining this with other relevant linked-data vocabularies. This Research Object view allows us add rich science context, so that archival information packages can be generated which capture the relationships between entities rather than treat them in isolation. This linked data approach would also allow the tools to be more loosely coupled in a linked data framework, thus exposing representation information via linked data endpoints.

Research Objects for Provenance

There are outstanding challenges posed by the initial developments in preserving data in Research Objects. Research Objects try to encapsulate a scientific objective, bringing all the items of interest together and grouping them. This raises the issue of what constitutes a "complete" Research Object. In a particular domain, we could reasonably expect that research objects of a particular type would have particular artefacts and relationships present. This would be the output of a preservation analysis in the particular context of the domain of under study. This would allow the definition a domain specific Research Object template, and an assessment of the completeness of research objects to be established.

The immutability of the research object is not clear: there are items which are immutable, such as the experiment and associated raw data, and there are others which are extensible, such as supplementary data and publications. Further, this issue of change means that the research object, with its unique identifier may become so different that it needs to be considered to be a new entity with a new identifier. An

example would be when the underlying experimental data is migrated from one format to another, is this same object? Should there be links to both versions even though the fact that a migration has occurred means that there was some preservation risk to the original data? Research Objects with their notion of boundaries are well suited to notions of versioning, where we can relate objects together as they change, thus keeping the old boundary stable.

Preserving the science memory in a distributed environment

There remain issues of trust and sustainability in a distributed architecture. If archive managers are going to link to external sources, they require some guarantees. They require that artefacts kept in other archives are: stable, do not change and maintain their identity (especially in dereferencing of persistent identifiers); accurate, the information that they offer is truthful and accurate to some specified means; accessible, the rights to accessing the artefact do not change; and meaningful, are provided with sufficient context in their own right to be understood as objects of interest to science. Trust relationships need to be established between repositories to ensure these properties. There is also a need for sustainability in the long term, with due consideration for managing archive change and archive migration.

Preserving tacit knowledge

Most preservation approaches concentrate on capturing the explicit knowledge of the science, encapsulated in databases, file-stores, documentation, registries, ontologies etc. However, for a true understanding of why the science was undertaken, we also need implicit or tacit knowledge which is kept informally in peoples' minds or within the dialogue which goes on between people. It uses the prior knowledge and experience of scientists, their developed intuitions, and their observations on the conduct of the experiment. This knowledge is notoriously hard to capture. It may be written in tools such as blogs, social media, Electronic Laboratory Notebooks etc.; further work is required to manage the preservation of these types of record and link them appropriately to the explicit scientific knowledge. Research in business knowledge management could be of particular use here, with its emphasis on the elicitation of tacit knowledge, using techniques such as interviews (which may include media such as video), storytelling, after action review, or communities of practice, which can then be captured and preserved with the data.

A Final Word

We wish to move from a point of view of preserving artefacts, such as documents, or data, to preserving *research itself*. It is the knowledge of the science which makes the artefacts useful in the future, both to understand and validate the work undertaken in the past, and to give sufficient understanding of these artefacts so that they can be reused in the future. Thus we see that preservation should be seen as *knowledge management*. A vision of a preservation system should try capture and preserve both the explicit knowledge of the science, embodied in data, documents and their relationships, but also the implicit knowledge, trying to capture the experience and intuitions behind the decisions made in the scientific process.

References

- [report] APARSEN project (2014). Report on a Common Vision of Digital Preservation: Progress to Year 3. Deliverable D11.3.
http://www.alliancepermanentaccess.org/wp-content/uploads/downloads/2014/06/APARSEN-REP-D11_3-01-1_1_inclURN.pdf
- [proceedings] Belhajjame K, et. al. (2012). Workflow-Centric Research Objects: A First Class Citizen in the Scholarly Discourse. In *ESWC2012 Workshop on the Future of Scholarly Communication in the Semantic Web (SePublica2012)*, Heraklion, Greece, May 2012
- [report] Charles Beagrie Ltd (2011). Guide to the KRDS Benefits Framework. Keeping Research Data Safe. report, v3. July 2011.
http://www.beagrie.com/KRDS_BenefitsFramework_Guidev3_July%202011.pdf
- [journal article] Bechhofer S. et. al. (2013). Why linked data is not enough for scientists. *Future Generation Computer Systems*. 29 no. 2, February 2013, Pages 599–611
- [journal article] Bicarregui, J., Gray, N., Henderson, R., Jones, R., Lambert, S., Matthews, B (2013). Data Management and Preservation Planning for Big Science. *The International Journal of Digital Curation* 8, no. 1 : 29-41.
- [proceedings] Caruso, G., Briguglio, L., Matthews, B., Tona, C., Albani, M. (2013). Modelling Data Value in Digital Preservation. In *10th International Conference on Preservation of Digital Objects*, Lisbon, Portugal, 2-6 Sep 2013, (2013).
- [report] CCSDS - Consultative Committee for Space Data Systems. (2012). Reference model for an Open Archival Information System (OAIS). *Magenta Book CCSDS 650.0-B-1*. Retrieved from <http://public.ccsds.org/publications/archive/650x0m2.pdf>
- [journal article] Conway, E., Giaretta, D., Lambert, S., Matthews, B (2011). Curating scientific research data for the long term : a preservation analysis method in context. *International Journal of Digital Curation* 6, no. 2.
- [journal article] Conway, E., Matthews, B., Giaretta, D., Lambert, S., Wilson, M., Draper, N (2012). Managing Risks in the Preservation of Research Data with Preservation Networks. *International Journal of Digital Curation* 7, no. 1.
- [proceedings] Crompton, S., Giaretta, D., Matthews, B., Brocks, H., Engel, F., Shaon, A., Marelli, F (2014). SCIDIP-ES: a Sustainable Data Preservation Infrastructure to Support OAIS Conformant Archives. In *International Conference on Digital Preservation and Development of Trusted Digital Repositories*, New Delhi, India, 5-6 Feb 2014.

- [proceedings] Darby, R., Lambert, S., Matthews, B., Wilson, M., Gitmans, K., Dallmeier-Tiessen, S., Mele, S., Suhonen, J. (2012). Enabling Scientific Data Sharing and Re-use. In *8th IEEE International Conference on e-Science*, Chicago, USA, 10-12 Oct 2012.
- [journal article] Dallmeier-Tiessen, S., Darby, R., Gitmans, K., Lambert, S., Matthews, B., S., Suhonen, J., Wilson, M. (2014). Enabling Sharing and Reuse of Scientific Data. *New Review of Information Networking* 19, no. 1 : 16-43.
- [proceedings] Flannery, D., et. al. (2009). ICAT: Integrating data infrastructure for facilities based science. In *5th IEEE International Conference on e-Science*, Oxford, UK, 9-11 Dec 2009.
- [report] Gray, N., Carozzi, T. D., & Woan, G. (2012). Managing Research Data in Big Science. Final report. LIGO Project report P1000188, University of Glasgow. Available from: <http://arxiv.org/abs/1207.3923>
- [report] Groth, P., Moreau, L (2013). PROV-Overview. An Overview of the PROV Family of Documents. *W3C Working Group Note*. <http://www.w3.org/TR/prov-overview/>
- [proceedings] Kraxner, M., Plangg, M., Duretec, K., Becker, C., Faria, L (2013). The SCAPE Planning and Watch suite – Supporting the preservation lifecycle in repositories. In *IPRES 2013 – Proceedings of the 10th International Conference on Preservation of Digital Objects*.
- [report] LTDP Working Group (2012). Long Term Preservation of Earth Observation Space Data: European LTDP Common Guidelines. *ESA report* GSCB-LTDP-EOPG-GD-09-0002. http://earth.esa.int/gscb/ltdp/EuropeanLTDPCommonGuidelines_Issue2.0.pdf
- [proceedings] Matthews, B., Shaon, A., Bicarregui, J., Jones, C., Woodcock, J., Conway E (2009). Towards a Methodology for Software Preservation. In *6th International Conference on Preservation of Digital Objects*, San Francisco, USA, 5-6 Oct 2009.
- [proceedings] Matthews, B. et al. (2009). Using a Core Scientific Metadata Model in Large-Scale Facilities. In *5th International Digital Curation Conference*, London, UK, 2-4 Dec 2009.
- [journal article] Matthews, B., Shaon, A., Bicarregui, J., Jones C (2010). A Framework for Software Preservation. *International Journal of Digital Curation* 5, no. 1.
- [book chapter] Matthews, B., Shaon, A., Conway, E (2012). How do I know that I have Preserved Software?," in *The Preservation of Complex Objects. Volume 1 Visualisations and Simulations*. Eds Delve, J., Anderson, D., Dobрева, M., Baker, D., Billenness, C., Konstantelos, L. pp 36-53. The University of Portsmouth.

- [proceedings] Matthews, B., Bunakov, V., Jones, C., Crompton, S (2013). Investigations as research objects within facilities science. In *1st Workshop on Linking and Contextualizing Publications and Datasets*, Malta, 26 Sep 2013.
- [proceedings] Shehab, E., Lefort, A., Badawy, M., Baguley, P., Turner, C., Wilson, M., Conway, E (2013). Modelling long term digital preservation costs: A scientific data case study. In *11th International Conference on Manufacturing Research*, Cranfield University, UK, 19-20 September, 2013.
- [proceedings] Shaon, A., Callaghan, S., Lawrence, B., Matthews, B., Osborn, T., Harpham, C (2011). Opening up Climate Research : a linked data approach to publishing data provenance. In *7th International Digital Curation Conference (DCC11)*, Bristol, England, 5-7 Dec 2011.
- [proceedings] Shaon, Arif et al. (2012). Towards a Long-term Preservation Infrastructure for Earth Science Data. In *International Preservation Conference 2012*, Toronto, Canada, 1-5 Oct 2012.
- [proceedings] Sierman, B., Jones, C., Bechhofer, S., Elstrøm, G (2013). Preservation Policy Levels in SCAPE. In *iPres 2013 proceedings of the 10th International Conference on Preservation of Digital Objects*.